



HARVEST

Version 3 / GB
102000012341

1/11

Revision Date: 05.08.2014
Print Date: 05.08.2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name HARVEST
Product code (UVP) 06470025

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)
+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 1B
H360Fd May damage fertility. Suspected of damaging the unborn child.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Acute toxicity: Category 3
H311 Toxic in contact with skin.

Specific target organ toxicity - repeated exposure: Category 2
H373 May cause damage to organs (nervous system) through prolonged or repeated exposure if swallowed.

Serious eye damage: Category 1
H318 Causes serious eye damage.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Repr.Cat.2, R60
Repr.Cat.3, R63
Xn Harmful, R21/22, R48/22
Xi Irritant, R41

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and

**HARVEST**Version 3 / GB
102000012341

2/11

Revision Date: 05.08.2014
Print Date: 05.08.2014**packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Glufosinate ammonium

**Signal word:** Danger**Hazard statements**

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H318	Causes serious eye damage.
H360Fd	May damage fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure if swallowed.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Soluble concentrate (SL)
Glufosinate-ammonium 150 g/l**Hazardous components**R-phrases according to EC directive 67/548/EEC
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Glufosinate ammonium	77182-82-2 278-636-5	Repr.Cat.2 R60 Repr.Cat.3 R63 Xn; R20/21/22, R48/20/22	Repr. 1B, H360Fd Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302	13.50

**HARVEST**Version 3 / GB
102000012341

3/11

Revision Date: 05.08.2014

Print Date: 05.08.2014

			STOT RE 2, H373	
Alkylethersulfate, sodium salt	68891-38-3 500-234-8	Xi; R38 Xi; R41	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412	> 10.00
1-Methoxy-2- propanol	107-98-2 203-539-1	R10 R67	Flam. Liq. 3, H226 STOT SE 3, H336	> 1.00 – < 15.00

Further information

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off immediately with soap and plenty of water. Call a physician or poison control center immediately.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Vomiting, Diarrhoea, Abdominal pain, Tremors, Hypotension, muscular weakness, Unconsciousness, Coma, Convulsions, Respiratory failure, Nausea, Tachycardia Symptoms may be delayed.
-----------------	--

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Watch victim for at least 48 hours because of possible delayed signs of poisoning.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Forced alkaline diuresis and hemodialysis may be considered. There is no specific antidote. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Oxygen or artificial respiration if needed. Keep respiratory tract clear. ECG - monitoring (Electrocardiogram). EEG - monitoring (Electroencephalogram). Monitor: respiratory, cardiac and central nervous system. Keep under medical supervision for at least 48 hours.

**HARVEST**Version 3 / GB
102000012341

4/11

Revision Date: 05.08.2014
Print Date: 05.08.2014

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Oxides of phosphorus, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for fire-fighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

**HARVEST**Version 3 / GB
102000012341

5/11

Revision Date: 05.08.2014
Print Date: 05.08.2014

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (1000L IBC)

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Glufosinate ammonium	77182-82-2	0.9 mg/m ³ (TWA)		OES BCS*
1-Methoxy-2-propanol	107-98-2	560 mg/m ³ /150 ppm (STEL)	12 2011	EH40 WEL
1-Methoxy-2-propanol	107-98-2	375 mg/m ³ /100 ppm (TWA)	12 2011	EH40 WEL
1-Methoxy-2-propanol	107-98-2	375 mg/m ³ /100 ppm (TWA)	12 2009	EU ELV
1-Methoxy-2-propanol	107-98-2	568 mg/m ³ /150 ppm (STEL)	12 2009	EU ELV

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

||Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

**HARVEST**Version 3 / GB
102000012341

6/11

Revision Date: 05.08.2014
Print Date: 05.08.2014

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid
Colour	blue to blue green
Odour	weakly pungent
pH	6.8 - 7.8 at 100 % (23 °C)
Boiling point/boiling range	ca. 99 °C at 1,013 hPa Test conducted with a similar formulation.
Flash point	ca. 57 °C The product does not sustain combustion.
Autoignition temperature	ca. 405 °C
Density	ca. 1.11 g/cm ³ at 20 °C
Partition coefficient: n-octanol/water	Glufosinate-ammonium: log Pow: -4.01 at pH 7
Surface tension	ca. 29 mN/m at 40 °C
Impact Sensitivity	Not impact sensitive.
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition > 200 °C, Heating rate: 10 K/min
Test conducted with a similar formulation.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

**HARVEST**Version 3 / GB
102000012341

7/11

Revision Date: 05.08.2014
Print Date: 05.08.2014**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Bases**10.6 Hazardous decomposition products** Ammonia**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (rat) 1,730 mg/kg**Acute inhalation toxicity** LC50 (rat) 2.97 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.
During intended and foreseen applications, no respirable aerosol is formed.**Acute dermal toxicity** LD50 (rat) 593 mg/kg**Skin irritation** Slight irritant effect - does not require labelling. (rabbit)**Eye irritation** Severe eye irritation. (rabbit)**Sensitisation** Non-sensitizing. (guinea pig)
OECD Test Guideline 406, Buehler test**Assessment repeated dose toxicity**

Glufosinate-ammonium caused neurobehavioral effects and/or neuropathological changes in animal studies. Glufosinate-ammonium was well tolerated in rats and mice but less well tolerated in the dog in subchronic studies.

Assessment Mutagenicity

Glufosinate-ammonium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Glufosinate-ammonium was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Implantation loss occurred in a rat multigeneration study with Glufosinate-ammonium. There were no effects on male fertility.

Assessment developmental toxicity

Glufosinate-ammonium caused developmental toxicity only at dose levels toxic to the dams.
Glufosinate-ammonium caused an increased incidence of post implantation losses.

Further information

The toxicological data refer to a similar formulation.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 13.4 mg/l
Exposure time: 96 h
Test conducted with a similar formulation.

**HARVEST**Version 3 / GB
102000012341

8/11

Revision Date: 05.08.2014
Print Date: 05.08.2014

Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) 17.8 mg/l Exposure time: 48 h Test conducted with a similar formulation.
Toxicity to aquatic plants	EC50 (Selenastrum capricornutum) 71.3 mg/l Exposure time: 72 h Test conducted with a similar formulation.
Toxicity to bacteria	EC50 (activated sludge) > 1,000 mg/l Exposure time: 3 h The value mentioned relates to the active ingredient glufosinate-ammonium.
12.2 Persistence and degradability	
Biodegradability	Glufosinate-ammonium: not rapidly biodegradable
Koc	Glufosinate-ammonium: Koc: 2.3
12.3 Bioaccumulative potential	
Bioaccumulation	Glufosinate-ammonium: Bioconcentration factor (BCF) 1< Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Glufosinate-ammonium: Highly mobile in soils
12.5 Results of PBT and vPvB assessment	
PBT and vPvB assessment	Glufosinate-ammonium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.

**HARVEST**Version 3 / GB
102000012341

9/11

Revision Date: 05.08.2014
Print Date: 05.08.2014**Waste key for the unused product** **020108** agrochemical waste containing dangerous substances**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO
Hazard no.	60
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Marine pollutant	NO
Segregation group according to 5.4.1.5.11.1	IMDG SEGREGATION GROUP 2 - AMMONIUM COMPOUNDS

IATA

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO

UK 'Carriage' Regulations

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO
Emergency action code	2X

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.



HARVEST

Version 3 / GB
102000012341

10/11

Revision Date: 05.08.2014
Print Date: 05.08.2014

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: II (Moderately hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R60	May impair fertility.
R63	Possible risk of harm to the unborn child.
R67	Vapours may cause drowsiness and dizziness.

Text of the hazard statements mentioned in Section 3



HARVEST

Version 3 / GB
102000012341

11/11
Revision Date: 05.08.2014
Print Date: 05.08.2014

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H360Fd	May damage fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Section 12. Ecological information. Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.