

| | |
|------|---|
| P103 | Read label before use. |
| P234 | Keep only in original container |
| P401 | Store product away from food and drink |
| P501 | Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by recycling. Contact your local council for details. |

2.3. Other hazards

0% of the mixture consists of ingredient/ingredients of unknown acute toxicity.

0% of the mixture consists of ingredient/ingredients of unknown hazards to the aquatic environment.

2.3.1. Potential environmental effects

Not expected to produce significant adverse effects when recommended use instructions are followed.

Not a persistent, bioaccumulative or toxic (PBT) nor a very persistent, very bioaccumulative (vPvB) mixture.

2.4. Appearance and odour (colour/form/odour):

Brown /Liquid / Amino odour

Refer to section 11 for toxicological and section 12 for environmental information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active ingredient

Potassium salt of N-(phosphonomethyl)glycine; {Potassium salt of glyphosate}

Composition

| Components | CAS No. | EC No. | EU Index No. / REACH Reg. No. / C&L ID No. | % by weight (approximate) | Classification |
|---|-------------|-----------|--|---------------------------|--|
| Potassium salt of glyphosate | 70901-12-1 | 933-437-9 | 015-184-00-8 / - / 02-2119694167-27-0000 | 35 | Aquatic Chronic - Category 2; H411; { c} |
| Alkylpolyglycoside | 68515-73-1 | 500-220-1 | - / 01-2119488530-36 / - | >5 | Eye damage/irritation - Category 1; H318; { d} |
| Nitroaryl | 226563-63-9 | | - / - / - | >1 | Acute toxicity - Category 4, Skin corrosion/irritation - Category 2, Eye damage/irritation - Category 1, Aquatic Chronic - Category 3; H302+332, 315, 318, 412 |
| Water and minor formulating ingredients | | | - / - / - | <59 | Not classified as dangerous.; |

Full text of classification code: See section 16.

4. FIRST AID MEASURES

Use personal protection recommended in section 8.

4.1. Description of first aid measures

4.1.1. Eye contact

Immediately flush with plenty of water. If easy to do, remove contact lenses. If there are persistent symptoms, obtain medical advice.

4.1.2. Skin contact

Take off contaminated clothing, wristwatch, jewellery. Wash affected skin with plenty of water. Wash clothes and clean shoes before re-use.

4.1.3. Inhalation

Remove to fresh air.

- 4.1.4. Ingestion**
Immediately offer water to drink. Do NOT induce vomiting unless directed by medical personnel. If symptoms occur, get medical attention.
- 4.2. Most important symptoms and effects, both acute and delayed**
- 4.2.1. Potential health effects**
Likely routes of exposure: Skin contact, eye contact
Eye contact, short term: Not expected to produce significant adverse effects when recommended use instructions are followed.
Skin contact, short term: Not expected to produce significant adverse effects when recommended use instructions are followed.
Inhalation, short term: Not expected to produce significant adverse effects when recommended use instructions are followed.
- 4.3. Indication of any immediate medical attention and special treatment needed**
- 4.3.1. Advice to doctors**
This product is not an inhibitor of cholinesterase.
- 4.3.2. Antidote**
Treatment with atropine and oximes is not indicated.
-

5. FIRE-FIGHTING MEASURES

- 5.1. Extinguishing media**
5.1.1. Recommended: Water, foam, dry chemical, carbon dioxide (CO₂)
- 5.2. Special hazards**
- 5.2.1. Unusual fire and explosion hazards**
Minimise use of water to prevent environmental contamination.
Environmental precautions: see section 6.
- 5.2.2. Hazardous products of combustion**
Carbon monoxide (CO), phosphorus oxides (P_xO_y), nitrogen oxides (NO_x)
- 5.3. Fire fighting equipment**
Self-contained breathing apparatus. Equipment should be thoroughly decontaminated after use.
- 5.4. Flash point**
Does not flash.
-

6. ACCIDENTAL RELEASE MEASURES

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

- 6.1. Personal precautions**
Use personal protection recommended in section 8.
- 6.2. Environmental precautions**
SMALL QUANTITIES: Low environmental hazard. LARGE QUANTITIES: Minimise spread.
Keep out of drains, sewers, ditches and water ways. Notify authorities.
- 6.3. Methods for cleaning up**
SMALL QUANTITIES: Flush spill area with water. LARGE QUANTITIES: Absorb in earth, sand or absorbent material. Dig up heavily contaminated soil. Collect in containers for disposal. Refer to section 7 for types of containers. Flush residues with small quantities of water. Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

7.1. Precautions for safe handling

- Avoid contact with eyes.
- When using do not eat, drink or smoke.
- Wash hands thoroughly after handling or contact.
- Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.
- Emptied containers retain vapour and product residue.
- Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

7.2. Conditions for safe storage

- Minimum storage temperature: -15 °C
- Maximum storage temperature: 50 °C
- Compatible materials for storage: stainless steel, fibreglass, plastic, glass lining
- Keep out of reach of children.
- Keep away from food, drink and animal feed.
- Keep only in the original container.
- Partial crystallization may occur on prolonged storage below the minimum storage temperature.
- If frozen, place in warm room and shake frequently to put back into solution.
- This formulation can be stored for 2 to 3 weeks at temperatures colder than -20°C without impact. If the temperature remains below -20°C for longer the water phase of the formulation may freeze.
- Should this occur allow the product to warm and it will return to its original homogeneous state. We recommend that customers follow the typical use instructions which state that the container should be agitated (shaken) prior to pouring.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Airborne exposure limits

| Components | Exposure Guidelines |
|---|---|
| Potassium salt of glyphosate | No specific occupational exposure limit has been established. |
| Alkylpolyglycoside | No specific occupational exposure limit has been established. |
| Nitrotyl | No specific occupational exposure limit has been established. |
| Water and minor formulating ingredients | No specific occupational exposure limit has been established. |

8.2. Engineering controls

- No special requirement when used as recommended.

8.3. Recommendations for personal protective equipment

8.3.1. Eye protection:

- If there is significant potential for contact: Wear chemical goggles.

8.3.2. Skin protection:

- If repeated or prolonged contact:
Wear chemical resistant gloves.

8.3.3. Respiratory protection:

- No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

| | |
|---|--|
| Colour/colour range: | Brown |
| Odour: | Amino odour |
| Form: | Liquid |
| Physical form changes (melting, boiling, etc.): | |
| Melting point: | Not applicable. |
| Boiling point: | No data. |
| Flash point: | Does not flash. |
| Explosive properties: | No explosive properties |
| Auto ignition temperature: | > 600 °C |
| Self-accelerating decomposition temperature (SADT): | No data. |
| Oxidizing properties: | No data. |
| Specific gravity: | 1,2647 @ 20 °C / 4 °C |
| Vapour pressure: | No significant volatility; aqueous solution. |
| Vapour density: | Not applicable. |
| Evaporation rate: | No data. |
| Dynamic viscosity: | 12,4 mPa·s @ 20 °C |
| Kinematic viscosity: | 9,82 cSt @ 20 °C |
| Density: | 1,2647 g/cm ³ @ 20 °C |
| Solubility: | Water: Completely miscible. |
| pH: | 4,1 |
| Partition coefficient: | log Pow: -3,2 @ 25 °C (glyphosate) |

10. STABILITY AND REACTIVITY

10.1. Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

10.2. Stability

Stable under normal conditions of handling and storage.

10.3. Possibility of hazardous reactions

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

10.4. Incompatible materials

Incompatible materials for storage: galvanised steel, unlined mild steel
Compatible materials for storage: see section 7.2.

10.5. Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Likely routes of exposure: Skin contact, eye contact

Data obtained on more concentrated products and on components are summarized below.

More concentrated formulation

Acute oral toxicity

Rat, LD50: > 2.000 mg/kg body weight
No mortality.

Acute dermal toxicity

Rat, LD50: > 2.000 mg/kg body weight
No mortality.

Skin irritation

Rabbit, 3 animals, OECD 404 test:

Redness, individual EU scores: 0,3; 0,0; 0,0
Swelling, individual EU scores: 0,0; 0,0; 0,0
Days to heal: 5

Eye irritation

Rabbit, 3 animals, OECD 405 test:

Conjunctival redness, individual EU scores: 0,7; 1,0; 0,7
Conjunctival swelling, individual EU scores: 1,0; 1,0; 0,7
Corneal opacity, individual EU scores: 0,0; 0,0; 0,0
Iris lesions, individual EU scores: 0,0; 0,0; 0,0
Days to heal: 3
Slightly irritating to eyes but not sufficient for classification.

Skin sensitization

Guinea pig, 9-induction Buehler test:

Negative.
No skin sensitization

N-(phosphonomethyl)glycine; { glyphosate acid}

Genotoxicity

Not genotoxic.

Carcinogenicity

Not carcinogenic in rats or mice.

Reproductive/Developmental Toxicity

Developmental effects in rats and rabbits only in the presence of significant maternal toxicity.
Reproductive effects in rats only in the presence of significant maternal toxicity.

12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on more concentrated products and on components are summarized below.

More concentrated formulation

Aquatic toxicity, fish

Rainbow trout (*Oncorhynchus mykiss*):

Acute toxicity, 96 hours, static, LC50: > 1.039 mg/L

Aquatic toxicity, invertebrates

Water flea (*Daphnia magna*):

Acute toxicity, 48 hours, static, EC50: 243 mg/L

More concentrated formulation

Aquatic toxicity, algae/aquatic plants

Green algae (*Selenastrum capricornutum*):

Acute toxicity, 72 hours, static, ErC50 (growth rate): 118 mg/L

Duckweed (*Lemna gibba*):

Acute toxicity, 7 days, static, ErC50 (frond number): 74,3 mg/L

Duckweed (*Lemna gibba*):

Acute toxicity, 7 days, static, NOEC (growth rate): 19,1 mg/L

Arthropod toxicity

Honey bee (*Apis mellifera*):

Contact, 48 hours, LD50: > 279 µg/bee

Honey bee (*Apis mellifera*):

Oral, 48 hours, LD50: > 282 µg/bee

Soil organism toxicity, invertebrates

Earthworm (*Eisenia foetida*):

Acute toxicity, 14 days, LC50: > 10.000 mg/kg dry soil

Soil organism toxicity, microorganisms

Nitrogen and carbon transformation test:

27 L/ha, 28 days: Less than 25% effect on nitrogen or carbon transformation processes in soil.

N-(phosphonomethyl)glycine; { glyphosate acid}

Avian toxicity

Bobwhite quail (*Colinus virginianus*):

Acute oral toxicity, single dose, LD50: > 3.851 mg/kg body weight

Bioaccumulation

Bluegill sunfish (*Lepomis macrochirus*):

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

Dissipation

Soil, field:

Half life: 2 - 174 days

Koc: 884 - 60.000 L/kg

Adsorbs strongly to soil.

Water, aerobic:

Half life: < 7 days

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product

Follow all local/regional/national/international regulations on waste disposal. Follow current edition of the General Waste, Landfill, and Burning of Hazardous Waste Directives; and the Shipment of Waste Regulation. According to the manufacturer self-classification, following the EU Dangerous Preparations' Directive 1999/45/EC, the product can be disposed as a non-hazardous industrial waste. According to the manufacturer self-classification, following Regulation (EC) No. 1272/2008 [CLP], the product can be disposed as a non-hazardous industrial waste. Disposal in an industrial waste incinerator with energy recovery is recommended. Keep out of drains, sewers, ditches and water ways.

13.1.2. Container

Follow all local/regional/national/international regulations on waste disposal, packaging waste collection/disposal. Follow current edition of the General Waste, Landfill, and Burning of Hazardous Waste Directives; and the Shipment of Waste Regulation. Do NOT re-use containers. Triple or pressure rinse empty containers. Pour rinse water into spray tank. Properly rinsed container can be disposed as a non hazardous industrial waste. Store for collection by approved waste disposal service. Recycle if appropriate facilities/equipment available. Recycle the non-hazardous container only when a proper control on the end use of the recycled plastic is possible. Suitable for industrial grade recycling only. Do NOT recycle plastic that could end in any human or food contact application. This package meets the requirements for energy recovery. Disposal in a incinerator with energy recovery is recommended.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not regulated for transport under ADR/RID, IMO, or IATA/ICAO Regulations

15. REGULATORY INFORMATION

15.1. Other Regulatory Information

SP1 Do not contaminate water with the product or its container.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment per Regulation (EC) No. 1907/2006 is not required and has not been performed.

A Risk Assessment has been performed under Regulation EC 1107/2009.

16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

In this document the British spelling was applied.

|| Significant changes versus previous edition.

® Registered trademark.

This Safety Data Sheet has been prepared following the Regulation (EC) No. 1907/2006 (Annex II) as last amended by Regulation (EC) No. 2015/830

Data provided in this Safety Data Sheet are for the product as supplied unless otherwise indicated.

Classification of components

| Components | Classification |
|---|--|
| Potassium salt of glyphosate | Aquatic Chronic - Category 2 H411 Toxic to aquatic life with long lasting effects. |
| Alkylpolyglycoside | Eye damage/irritation - Category 1 H318 Causes serious eye damage. |
| Nitrotyl | Acute toxicity - Category 4 Skin corrosion/irritation - Category 2 Eye damage/irritation - Category 1 Aquatic Chronic - Category 3 H302+332 Harmful if swallowed or if inhaled H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. |
| Water and minor formulating ingredients | Not classified as dangerous. |

Endnotes:

{ a} EU label (manufacturer self-classification)

{ b} EU label (Annex I)

{ c} EU CLP classification (Annex VI)

{ d} EU CLP (manufacturer self-classification)

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), STOT SE (Specific Target Organ Toxicity, Single Exposure), STOT RE (Specific Target Organ Toxicity, Repeated Exposure), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its

subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.

Safety Data Sheet (SDS) Annex

Chemical Safety Report:

Read and follow label instructions.

000000056958

End of document
